



Fortinet

NSE7_OTS-7.2 Exam

Fortinet NSE 7 - OT Security 7.2

Exam Latest Version: 11.2

DEMO Version

Full Version Features:

- 90 Days Free Updates
- 30 Days Money Back Guarantee
- Instant Download Once Purchased
- 24 Hours Live Chat Support

Full version is available at link below with affordable price.

https://www.directcertify.com/fortinet/nse7_ots-7.2

Question 1. (Single Select)

Operational technology (OT) network analysts run different levels of reports to identify failures that could put the network at risk. Some of these reports may be related to device performance.

Which FortiSIEM reporting method helps identify device failures?

- A: Device inventory reports
- B: Payment card industry (PCI) logging reports
- C: Configuration management database (CMDB) operational reports
- D: Business service reports

Correct Answer: C

Question 2. (Multi Select)

Which three methods of communication are used by FortiNAC to gather visibility information? (Choose three.)

- A: SNMP
- B: ICMP
- C: API
- D: RADIUS
- E: TACACS

Correct Answer: A, C, D

Question 3. (Single Select)

An OT network architect must deploy a solution to protect fuel pumps in an industrial remote network. All the fuel pumps must be closely monitored from the corporate network for any temperature fluctuations.

How can the OT network architect achieve this goal?

A: Configure a fuel server on the remote network, and deploy a FortiSIEM with a single pattern temperature security rule on the corporate network.

B: Configure a fuel server on the corporate network, and deploy a FortiSIEM with a single pattern temperature performance rule on the remote network.

C: Configure a fuel server on the remote network, and deploy a FortiSIEM with a single pattern temperature performance rule on the corporate network.

D: Configure both fuel server and FortiSIEM with a single-pattern temperature performance rule on the corporate network.


Correct Answer: C

Explanation:

This way, FortiSIEM can discover and monitor everything attached to the remote network and provide security visibility to the corporate network

Question 4. (Single Select)

Refer to the exhibit.



In order for a FortiGate device to act as router on a stick, what configuration must an OT

network architect implement on FortiGate to achieve inter-VLAN routing?

A: Set a unique forward domain on each interface on the network.

B: Set FortiGate to operate in transparent mode.

C: Set a software switch on FortiGate to handle inter-VLAN traffic.

D: Set a FortiGate interface with the switch to operate as an 802.1 q trunk.

Correct Answer: D

Question 5. (Multi Select)

An OT administrator configured and ran a default application risk and control report in FortiAnalyzer to learn more about the key application crossing the network. However, the report output is empty despite the fact that some related real-time and historical logs are visible in the FortiAnalyzer.

What are two possible reasons why the report output was empty? (Choose two.)

A: The administrator selected the wrong logs to be indexed in FortiAnalyzer.

B: The administrator selected the wrong time period for the report.

C: The administrator selected the wrong devices in the Devices section.

D: The administrator selected the wrong hcache table for the report.

Correct Answer: B, C

Explanation:

https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/32cb817d-a307-11eb-b70b-00505692583a/FortiAnalyzer-7.0.0-Administration_Guide.pdf



Full version is available at link below with affordable price.

https://www.directcertify.com/fortinet/nse7_ots-7.2

30% Discount Coupon Code: LimitedTime2025

*** 100% MONEY BACK GUARANTEED**
CERTIFICATION EXAMS
STUDY GUIDES

FREE TRIAL

*** Product Features**

- * 100% Success in the Final Exam
- * 90 Days Free Updates
- * Latest Exam Q/A
- * 24/7 Customer Support
- * Practice Exams

*** Free Demo for Practice Test & PDF**

50K Plus Satisfied Customers

VISA AMERICAN EXPRESS DISCOVER G Pay