



# SAP

## C\_BW4H\_2505 Exam

SAP Certified Associate - Data Engineer - SAP BW/4HANA

Exam Latest Version: 7.2

## DEMO Version

### Full Version Features:

- 90 Days Free Updates
- 30 Days Money Back Guarantee
- Instant Download Once Purchased
- 24 Hours Live Chat Support

**Full version is available at link below with affordable price.**

[https://www.directcertify.com/sap/c\\_bw4h\\_2505](https://www.directcertify.com/sap/c_bw4h_2505)

### Question 1. (Single Select)

Your company manufactures products with country-specific serial numbers.

For this scenario, you have created 3 custom characteristics with the technical names "PRODUCT", "COUNTRY" and "SERIAL\_NO". How do you need to model the characteristic "PRODUCT" to store different attribute values for serial numbers?

- A: Use "COUNTRY" as compounding characteristic for "PRODUCT".
- B: Use "SERIAL\_NO" as a transitive attribute for "PRODUCT".
- C: Use "COUNTRY" as a navigation attribute for "PRODUCT".
- D: Use "SERIAL\_NO" as compounding characteristic for "PRODUCT".

**Correct Answer: D**

### Question 2. (Multi Select)

What are the prerequisites for deleting business partner attribute master data in SAP BW/4HANA? Note: There are 2 correct answers to this question.

- A: In SAP BW/4HANA, there must be no hierarchy data related to business partner values that should be deleted.
- B: In SAP BW/4HANA, there must be no analysis authorizations related to business partner values that should be deleted
- C: There must be no transaction data in a DataStore Object (advanced) referring to business partner values that should be deleted.
- D: There must be no BW query as InfoProvider in SAP BW/4HANA that uses business partner as a free characteristic.

**Correct Answer: A, C**

### Question 3. (Multi Select)

What should you consider when you set the High Cardinality flag for a characteristic? Note: There are 2 correct answers to this question.

- A: You cannot use this characteristic as an external characteristic in hierarchies.
- B: You cannot load more than 2 billion master data records for this characteristic.
- C: You cannot use navigation attributes for this characteristic.
- D: You cannot use this characteristic as a navigation attribute for another characteristic.

**Correct Answer: A, D**

#### Question 4. (Multi Select)

What does a CompositeProvider allow you to do in SAP BW/4HANA? Note: There are 3 correct answers to this question.

- A: Join two ABAP CDS views
- B: Define new restricted key figures
- C: Create new calculated fields
- D: Combine InfoProviders using Joins and Unions
- E: Integrate SAP HANA calculation views

**Correct Answer: C, D, E**

#### Question 5. (Single Select)

For InfoObject ADDRESS, the High Cardinality flag has been set. However, ADDRESS has an attribute CITY without the High Cardinality flag. What is the effect on SID values in this scenario?

- A: SID values are generated when InfoObject ADDRESS is activated.
- B: SID values are generated when data for InfoObject ADDRESS is loaded.

C: SID values are generated when InfoObject CITY is activated.

D: SID values are not stored for InfoObject ADDRESS.

**Correct Answer: D**



Full version is available at link below with affordable price.

[https://www.directcertify.com/sap/c\\_bw4h\\_2505](https://www.directcertify.com/sap/c_bw4h_2505)

30% Discount Coupon Code: LimitedTime2025

**\* 100% MONEY BACK GUARANTEED**  
**CERTIFICATION EXAMS**  
**STUDY GUIDES**

**FREE TRIAL**

**\* Product Features**

- \* 100% Success in the Final Exam
- \* 90 Days Free Updates
- \* Latest Exam Q/A
- \* 24/7 Customer Support
- \* Practice Exams

**\* Free Demo for Practice Test & PDF**

**50K Plus Satisfied Customers**

VISA AMERICAN EXPRESS DISCOVER G Pay